KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-5E6559-S84

Client: WWPeptides **Certified:** 04/17/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Semax	**Form**	Lyophilized powder (acetate)
Batch	FCS8L	**Labeled Qty**	10 mg
Mol. Formula	C37H51N9O10S	**CAS Number**	80714-61-0
Cap Color	Red	**Crimp Color**	Silver

TEST RESULTS


	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.932% ✓
Batch Avg Net Content	(10mg ± 10%)	10.65 mg ✓
Identity Confirmation (LC-MS)	(Semax)	Semax ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.928	10.92
Vial 2	99.957	10.83
Vial 3	99.911	10.19
Batch Average	**99.932%**	**10.65 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemax Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-5E6559-S84
Access Code: ZNZ84TY